



Information Guide: The GSM Character Set

Version: 22.1
Publication date: 4th January 2017



Kapow SMS Gateway

All content herein including images, text and the Kapow logo is subject to copyright © and belongs to Kapow, the UK's first SMS Gateway. This document may not be distributed or reproduced without express consent and/or permission from Kapow. Any unauthorised distribution of this document disseminated in print, electronic or any other format is prohibited.

Copyright © 2017, Cygnet Internet Services Ltd.

Head Office

Kapow

Cygnet Internet Services Ltd

45 Carnaby Street

London

W1F 9PP

t - 020 71 835 835

f - 020 71 836 836

e - info@kapow.co.uk

Sales

US Sales (Manhattan, NY): +1 212 913 0553

SMS Characters

SMS is part of the GSM protocol. The supported characters are shown in the table below.

Please ask your Account Manager for further details.

DEC	HEX	0 00	16 10	32 20	48 30	64 40	80 50	96 60	112 70
0	0	@	Δ	space	0	i	P	ı	p
1	1	␣	_	!	1	A	Q	a	q
2	2	\$	Φ	"	2	B	R	b	r
3	3	¥	Γ	#	3	C	S	c	s
4	4	è	Λ	α	4	D	T	d	t
5	5	é	Ω	%	5	E	U	e	u
6	6	ù	Π	&	6	F	V	f	v
7	7	ì	Ψ	'	7	G	W	g	w
8	8	ò	Σ	(8	H	X	h	x
9	9	Ç	Θ)	9	I	Y	i	y
10	A	LF	≡	*	:	J	Z	j	z
11	B	Ø	<ESC>	+	;	K	Ä	k	ä
12	C	ø	Æ	,	<	L	Ö	l	ö
13	D	CR	æ	-	=	M	Ñ	m	ñ
14	E	Å	ß	.	>	N	Ü	n	ü
15	F	å	É	/	?	O	§	o	à